### Production/Admin: Location Initials of receiver (if shipment OK) Level 12 O E/ Number Received Ordered Returned HOUS Description Part Quantity Comments Quantity Quantity Quantity Discrepancies Work Order A/N QC6 Inspection ∀/N Receipt: sə, Shipment Complete: Invoice: S∌从 Waybill Attached: Yes Packing Slip: SƏX Release Note Attached: οN A/NDart P/O: Batch No: Receiving Report

Initial

Date

Peceived/Costing

### **Purchase Order Receipt Listing**

Monday, March 26, 2012 11:27:57 AM

All amounts are calculated in domestic currency.

All Vendors PO ID po 16520 Receipt Dates from 3/26/2012 to 3/26/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies
Grouned by Vendor ID

no dro ro	
Ş	2
4 622.00	Yen gor
1	Ξ

Line Nbr/ Nbr/ Nbr/ Project ID         Reference/ Description/ Description/ Project ID         Polity Nbr/ Description/ Project ID         Polity Project ID         Required Date Project ID         Recy Date Project ID         Recy Project ID         Recy Project ID         Instruction Project ID         Recy Project ID         Instruction Project ID         Recy Project ID         Recy Project ID         Instruction Project ID         Recy Project ID         Recy Project ID         Instruction Project ID         Instruction Project ID         Recy Project ID         Instruction Project ID         Instruction Project ID         Recy Project ID         Project ID         Project ID         Project ID         Instruction Project ID         Recy Value ID         Project ID         Project ID         Project ID         Project ID         Recy Value ID         Project ID         Recy Value ID         Project ID	uantity:	Total Balance Due Quantity:	To		-				
Project ID Reference/ Description/ Stock U/M         PO U/M/ Project ID Required Date Date/ Description/ Stock U/M         Required Date Receves Emp         Recvipate/ Po U/M         Receve Emp         Receve Emp         PO U/M         Receved Oty Receved Oty Materials CA Ltd         Manual Received Oty Materials CA Ltd         Po U/M         Po U/M         Receved Oty Materials CA Ltd         Receve Emp         PO U/M         Po U/M         Receved Oty Materials CA Ltd         Receved Oty Materials CA Ltd         Manual Received Oty Materials CA Ltd         Manual Received Oty Manual Received Oty Materials CA Ltd         Manual Received Oty Manual Received Oty Materials CA Ltd         Manual Received Oty Materials CA Ltd         Manual Received Oty Manual Receive	O U, Quan	Oty to Inspect (Po	Total						
Project ID         Reference/ Description/ Project ID         PO U/M / Project ID         Required Date Recv Date / Po U/M / Po U/M         Required Qty Recv Emp         Recv Emp         Recv Po U/M / PO U/M         Recv Palue Rejected Qty Recv Palue (PO U/M)         Inspected Qty Mecv Palue (PO U/M)         Inspected Qty Mecv Palue (PO U/M)         Rejected Qty Mecv Palue (PO U/M)         Mecv Palue Rejected Qty Mecv Palue (PO U/M)         Mecv Palue Rejected Qty Mecv Palue (PO U/M)         Rejected Qty Mecv Palue (PO U/M)         Mecv Palue Rejected Qty Mecv Palu	uanti	Total Received Q				-	303 Round Bar 0.375" 121157	S <sub>o</sub>	
VC-COP001         Thyssenkrupp Materials CA Ltd         3/30/2012         3/30/2012         3/26/2012         12.0000         ES.345         0.0000           AISI 303 Bar .500 x .500         f         121157         3/30/2012         3/30/2012         3/30/2012         3/30/2012         108.0000         \$3.93         0.0000           M303 Round Bar 0.750 f         108.0000         DESJ02         108.0000         \$3.93         0.0000		0.0000	\$0.99 \$35.52	36.0000	30/2012 3/26/2012	f 3,	121157 M303R0.375	6	
Project ID         Reference/ Description/ Cert Std         PO U/M / Description/ Cert Std         Required Date Pate/ Project ID Required Date Pate/ Project ID Recv Emp         Recv Emp         Recv Palue Projected Qty Projecte		0.0000	\$3.93 \$424.11	108.0000	30/2012 3/26/2012 08.0000 DESJ02		121157 M303R0.750 303 Round Bar 0.750	Z <sub>0</sub>	
Line Project ID Reference/ PO U/M / Required Date Recv Qty Recv Value Rejected Qty / Nbr/ Description/ Stock U/M Required Qty Date/ Qty Recv Value Rejected Qty Mecv Value Rejected Qty Mecv Value Rejected Qty Mecv Emp (PO U/M)		0.0000 0.0000	\$5.45 \$65.45	12.0000	30/2012 3/26/2012 12.0000 DESJ02	upp Materials CA Ltd	30.500 03 Ba	r Name 1	VendorID\Vendo PO16520 CAD
	MRI MRB F	1 -	Cost Per Unit/ Recv Value	Recv Qty (PO U/M)			Reference/ Description/ Cert Std		Purchase J Order ID/ J Curr Type

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE 1 ....Continued . ಕಿರಿಕ್ಕ ne/8/01// 3NT46 84742 \*\*\* Chemical Analysis \*\*\* Heat Number 88T IB ٤ : JATOT **PBS** Tags **BG**2 THIS ITEM IS BACK ORDERED "0000.36 X "0000.84 X moV 0180. ALUMINUM SHEET 6061 T6 4) OUR Order PEC-432765- 4 Your PO # 16520 IB 36 FT 8766£ BPM6 MF PBR **DCS** Quantity Tag No Heat Number .375" DIA X 144.0000" STAINLESS STEEL ROUND BAR 303 STAINLESS 3) OUR Order PEC-432765- 3 Your PO # 16520 S9T **IO8** EL LL66₺ 87742 bcs · Quantity Heat Number Tag No STAINLESS STEEL ROUND BAR 303 STAINLESS .750" DIA X 144.0000" 3) Our Order PEC-432765- 2 Your PO # 16520 0 T. IS EL 94667 3MTME MF TB2 **BC**R Quantity Tag No Heat Number .50" X 144.0000" STAINLESS STEEL SQ BAR 303 STAINLESS X) ONL OLGGE PEC-432765- 1 YOUR PO # 16520 PPDING BILLL A O Tel: 613/632-9577 Fax: 613-632-1053 HAMKESBURY, ON KEA IKY HYMKESBURY, ON KGA 1K7 1270 ABERDEEN ST IS 70 ABERDEEN ST DART AEROSPACE DART AEROSPACE ol qids sold To: (20115) SLYN INEKS (802-232-1320) ďŢS Trailer лусте 0- 0 Manifest Route Tel: 905 669 9444 Fax: 9057389033 **DKEDVID** Frt CONCORD, ONTARIO CONCORD T₹K 2Ge LOB  $V_{1}$ a VIM TRANSFER 2821 LANGSTAFF ROAD Probill THYSSENKRUPP MATERIALS NA Ship Date 23Marl2 at 13:07 From PFW SUTD EXOU: BILLL DEC 12377 : OM OE LADING

May wes

RAPPORTÉES IMMÉDIATEMUT.

ERROPS OR SHORTGEE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

MERCHÂNDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

DART AEROSPACE DART AEROSPACE :OL dius (T :oI blos (50112) **2LYN INEK2 (302-233-1320)** Trailer луств o- O Manifest Route Tel: 905 669 9444 Fax: 9057389033 BEEL OF STREET OF STREET CONCORD, ONTARIO L4K 5C6 LOB CONCOKD 2821 LANGSTAFF ROAD Via AVIM TRANSFER THYSSENKRUPP MATERIALS NA Probill Ship From: Ship Date 23Marl2 at 13:07 From PFW H O BILLL LADING ON DEC 759212 

gyan piyanakin sini gwaleebhileyarke

BILL I A D I N G O E

B<sub>2</sub>M<sub>3</sub>

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* ATTN: CHANTAL/LINDA TO SHIPPING. WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR ! MITT LEST REPORTS, PACKING SLIPS ARE TO SENT

\*\* KELEKENCED ON IL \*\*

LOTAL 1 BDL G.W. 196 LBS

CONCORD, ONT.\* MG 00:4 OT MA 00:9 \*\*\* \*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* \*\*\*\* TET 800-359-500 \*\*\*\*

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT ME SLOCK SLYINDESS SLEED

ADDED TO EVERY ORDER.\*\*\* \*\*\* PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE

ъgde∶ Jast .... Last

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY THE PORTÉES IMMÉDIATEMENT. TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE

THYSSENKRUPP MATERIALS NA DART AEROSPACE

PO/Rel 16520

STAINLESS STEEL SQ BAR 303 STAINLESS ...50" X 144.0000" PART NO.

Pg 1/1

BL PEC-759212-001

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

# WALSIN LIHWA CORPORATION YENSHUI PLANT

ISO-9081,ISO-14001 CERTIFIED MILL TEST / INSPECTION CERTIFICATE

AN | 3-10, SHI JOU LIAU, CHIN SHUEI LI, YENSHUI CHEN, TAINAN HSIEN, TAIWAN R.O.C. Tel: (06)6520911 Fax: (06)6533076

_																											
2011071148	WA11632	3										Hardness Tensile Vield Elementics Deduced	TOTA TOTAL	oi Area	(%)		ę		Here we carrife that the	ine totalen an	s peen	manulactured and tested with	satisfactory results in accordance	with the requirement of the above	<u>.</u>		
20110	WAI	101				nched	1		e E : OK			Pleasetter	tor.	3				7	1.4	The street of th	described herein has been	red and t	results in a	าน้ำระเกลา แ	material specification.		
2	ONO		2	kan		water que	1		62 Practice	Ç.	Mechanical Properties	A to in	(H.K.R.) Strength Strangel	Nosaguri	(7)		503	3 6	There we can		described	manulaci	satisfactory	with the req	material s		gus
2011/07/07	383124	Workmanshin	484	ontaminat		1-2 hour	<b>\$</b>		ASTM A2	rred: Taiw	echanical	Tentile	Stramorth.	W/WW/S/NGAMEN		860	749	189		•				<u></u>			M. L. Chiang
2011/	383	3	Pronce. A.	mercury c	•	1040C · 1	2 : fine (5	cture : ok	on test by	Manufactu	2	Hardness	(HKK)			102	6	å	3		7	ŧ		-Round		tolar	7-2
Date	Order No.		Length: -0/+50mm Tolerence: 4484	Material is free from mercury contamination	No welding repaired	Solution treatment at 1040 C . 1-2 hour . water quenched	Grain size test by E112 : fine (5-8)	Macro and micro structure : ok	Intergranular corrosion test by ASTM A262 Practice E: OK	Country of melted & Manufactured: Taiwan					MIN	MAX			Shape:	D. Douge	T. T.	A . O . O .	o : odnare	SR: Square-Round	E : Filipse	FB : Rectangular	100
	Õ		Lenoth:	Materia	No weldi	Solution	Grain siz	Масго а	Intergra	Country		L	ပိ	}													MENT:
		Remark											Z		0.10	MAX	0.021	0.023									MANAGER OF QUALITY ASSURANCE DEPARTMENT:
rc	eel Bar	ition				•••						<u></u>	ತ														SSURAN
SUMMIT STAINLESS STEEL, LLC	Stainless Steel Bar	Condition	8	6									Mo		0.75	MAX	0.127	0.113			640	<u>?</u>					ALITY A
ESS ST	Š	(LBS)	2480	1080							T%)		Ç		17.00	19.00 MAX	17.247	8.523 17.323 0.113		CH3	Acc.to ASTM A582, OOS-764, AMS 5640						OF QU
<b>FAINE</b>		Weight (LBS)	74	10			!				Chemical Composition (WT%)		Z		8.00	10.00	8.517	8.523		Invoice No. 113UL-03/11433/CH3	3.00s-76	! ! !					ANAGER
MIT S	Commodity	Quantity(Pcs)	431	106							cal Compo		Ś		0.150	MIN	0.31	I		6. 11JUL	STM AS82						. W.
SUM	Com	Quant	4	<del>-</del>							Chemi		щ		0.200	MAX	0.026	0.021	Remark:	Invoice N	Acc. to A						
	303	Size	3/8"	1/2"									Ma		2.00	MAX	1.932	1.942									
	AESI	Shape	S	S.									:5:		1.00	MAX	0.29	0.272		A-Annealed	P-Polished	PL-Peeling					
Customer	Steel Grade	Heat No.	3P725	3N146									Ú		0.15	MAX	0.045	0.053						1	CG-Centerless Granding		
ű	Stee	Ítem	1	74					-			Kind	Jo	Test			~~	2	Condition:	S-Solution Treated	HR-Hot Rolled	CD-Cold Draws	ST-Smooth Turned		CG-Centery		

## THYSSENKRUPP MATERIALS NA

STAINLESS STEEL ROUND BAR 303 STAINLESS 3.75" DIA X 144.0000" PART NO. DART AEROSPACE

PO/Rel 16520

BL PEC-759212-003

Pg 1/1

Certificate of Mill Test Results

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

METALLURGICAL TEST REPORT

THYSSENKRUPP MATERIALS 2821 LANGSTAFF ROAD CONCORD, ON LAKSCE

THISSENKRUPP MATERIALS 2821 LANGSTAFF ROAD CONCORD, ON LAKEC6

007206 001

Customer:

6870 HIGHWAY 42 EAST

NAS

Certificate: 717440

Date: 3/05/2012 Steel: 303

Page: 1

Finish: CD

NAS Order: IN 0141794 01

Corrosion:

DESCRIPTION: Round Bar, Annealed, Cold Draw PRODUCT

PEC237302

Your Order:

ASTM A582/05 EN 10204 3.1, ASTM A484/10 AMS 5640U TYPE 1, QQS-764B CONDITION A

EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA COMPLIES W/REQUIREMENTS OF DIARS EU DIRECTIVE 2002.95. FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION REMARKS

roduct 10	E4050 9	
SKIG #		
SKIG # DISMBTGI SIZE	3750	
9779		
METRIC	1,108	
Dengru	144.00	
MAEK		
Weight	.3750 1,108 144,00	

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) ANALYSIS CHEMICAL

HEAT	Ð	υ	ខ	CR	CO	MIN	MO	N	INI	P4
в5и9	SO	.0503	.0765	17.2820	.3505	.3505 1.7900	.3440	.0412 8.5440	•	.0285
		S	ßI							
		.3265	.5205							

### 田田 PROPER MECHANICAL

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dapt. Mgr.

ERIC HESS

Doc No. 129565 Indexed 6Mar12 by slssup1

### Certificate of Mill Test Results

I/I 84

23Mar12

### LHYSSENKRUPP MATERIALS NA

BF bEC-120515-005

Signed by:

PO/Res 16520

We carrify that this is a true copy of the report

We carrify that this journess of the metal, or data
resulting from tests made in approved labs.

DART WO. STAINLESS STEEL ROUND BAR 303 STAINLESS DART WO.

8	AI/	<b>\</b>

34118

### AIBYT BEOLITES LIMITED

Regi & Mkt off: G-33 & 34, MIDC,Industrial Arca,Tarapur,Thane(Dist),Maharatra.INDIA - 401506, E-Mail: sales@viraj.com Works: SURVEY No. 114,119 & 120,VILL. Mahagaon,Tal: Palgar,Dist:Thane-401501, MAHARASTRA, INDIA, vielqe@viraj.com

### TEST CERTIFICATE

### CENTALICATION OF THE PACKING LIST NO THEPET NO THE PACKING LIST NO THEPET NO THE PACKING LIST NO THE P

T-303

SS LTD. POLI05

39.0

CONVEY

CONTON

BUNDLE NO: SISISSE 'SISISSE 'SISISSE 'SISISSE'

Stainless Steel bricht bars

DESCRIPTION

atrength BHN Tensile Strength blafy %2.0 Reduction Of Area Hardness Elongation Sziz girtə TEST RESULTS 056.1 0550.0 17.340 0150.0 0205.0 0.500 0.03500 0.050 0.080 070.0 8.120 Э% **9**2% OW% ηO% **IN%** 4D% **S%** :S% uw% CHEMIÇYE YAYEKZIZ 484A MT2A ROUND u**⊅**/€ 4'085'000 FB 774 15. - 14. FENCLH TOLERANCE SHAPE SISE PIECES MEICHL COLD DRAWN POLISHED - 2H

MATERIAL CONFIRMS TO DIN 10088-3:2005 COND-A & ASTM A 542/ASTM-05 COND A, ASTM A 5320/A320M-05@ B8F CLASS 1.ASME SA 320 B8F CLI MIL-S-862
B GRADE AISI 303 & WNR 1.4305.

0.62

0.122

0.7

BEWYKKZ

CERTIFIED AS PER EN 10204- 3.1

0.801

SPECIFICATION:

0.56

CONTAMINATION COUNTRY OF ORIGIN: INDIA.

CONTAMINATION COUNTRY THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE

MELT SOURCE: ADD. WE CONFIRM THAT THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM CONTINOUS CARBIDE WEITHED.

MATERIAL IS FREE FROM MERCURY CONTAMINATION, FREE FROM WELD OR WELD REPAIRS, MICRO-FREE FROM CONTINOUS CARBIDE WEITHOUS.

We hereby certify that the material described above has been tested and complies with the terms of order/contract.

K K K WORLHA MORKE INSECTOR

### PURCHASE ORDER

### Purchase Order ID PO16520

Purchase Order Date 3/21/12
Strint Date 3/22/12

Certificate of Conformity or Material Certification required when applicable

No substitution or deviation without

consent.

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A IK7 Tel: 613 632 9577 Fax: 613 632 1053



7

Change Nbr:

Special Inst:   Special Inst	N ε
A2024T3S.040  A2024T3S.063  A2	ν ε
A2024T3S.040  A2024T3S.063  A2	ν ε
A2024T3S.040  A2024T3S.063  A2	3 14
A2024T3S.040  A2024T3S.040  A2024T3S.063	NI ε
A2024T3S.040 2024-T3.040 sheet 3/30/12 96.00 Yours ppd \$3.6458 \$350.00  Yes sf  QQ-A-250/4 OR AMS-QQ-A-250/4 OR  AMS 4037  AMS 4037	
A2024T3S.040 2024-T3 .040 sheet 3/30/12 96.00 Yours ppd \$3.6458 \$350.00  Special Inst:	
A2024T3S.040 2024-T3.040 sheet 3/30/12 96.00 Yours ppd \$3.6458 \$350.00	
A2024T3S.040 2024-T3.040 sheet 3/30/12 96.00 Yours ppd \$3.6458 \$350.00	
ALONG LENGTH OF BAR.	
	7 V
Special Inst: MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/6543 GRAIN MUST BE	
J səY	
7174B0.250X4.000 17-4 SS Bar. 250 X 4.00 3/30/12 12.00 Yours ppd \$48.7500 \$585.00	I V
Vendor Part Number	
r Reference Description/ Req Date/ Req Qty/ Ship Method Unit Price Extended Revision ID Taxable Unit of Measure Price	dV sniJ
DART AEROSPACE LTD 1270 ABERDEEN  CANADA  GANADA  CANADA  GANADA	oT gid2
FOB Destination-Collect	
Currency CAD	•
r Account Nbr Terms Net 30	opuəA
1. Fax 905 738 9033 Tax Resale Nbr 10127-2607	ориал
r Phone 905 669 9444 Requisition Nbr	Vendo
t Name Chantal Lavoic	Contac
GONTO, ON MSW 5V8 SSENKRUPP MATERIALS CA LTD  VP. METAL- C/O T27540/PO BOX 4275,POSTAL"A"  VC-COP001	∀/O
	Order I
Page Number 1 of 2	

Change Date: 3/22/12

### PURCHASE ORDER

### Purchase Order ID PO16520

PO Print Date 3/22/12 Purchase Order Date 3/21/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 2 of 2

89.085,58 :IstoT Oq AMS 4025 OR AMS 4027 OR ASTM B209 250/11 OR AS PER QQ-A-250/11 OR AMS-QQ-A-SHEEL MATERIAL: 6061-T6/T62 ALUMINUM Special Inst: Хes 8266.20 \$4.6815 Yours ppd 128.00 3/30/15 15542 080. aT-1608 M6061T6S.080 NOTE: AISI 304/316 NOT ACCEPTABLE PER ASTM A582 MATERIAL: AISI 303 SS ROUND BAR AS Special Inst: Yes bqq sruoY 00.9E 83.28 0086.0\$ 303 Round Bar 0.375" M303R0.375 NOTE AISI 304/316 NOT ACCEPTABLE **PER ASTM A582** MATERIAL: AISI 303 SS ROUND BAR AS Special Inst: Хes 800 bqq gruoY 00.801 \$451.20 83.9000 3/30/17 303 Round Bar 0.750 M303K0.750 NOTE: AISI 304/316 NOT ACCEPTABLE **282A MT2A** WATERIAL: AISI 303 SS BAR AS PER Special Inst: χęs 00.29\$ 1914.28 Yours ppd 3/30/15 AISI 303 Bar .500 x .500 M303B0.500X0.500 Destination-Collect **EOB** Сигтепсу CAD Terms Vendor Account Nbr Net 30 10127-2607 Tax Resale Nbr **EE06 8EL 506** Vendor Fax Requisition Nbr **1776 699 506** Vendor Phone Chantal Lavoie Buyer Contact Name **CA** TORONTO, ON MSW 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD  $\Lambda C\text{-}COb001$ Order From:

Certification required when applicable Certificate of Conformity or Material No substitution or deviation without

consent.

Change Date: 3/22/12

Change Nbr: